



# APPLICATION FOR TRADE WASTE DISCHARGE (MOTOR VEHICLES)

**SIGNATURE BLOCK**

\_\_\_\_\_  
(Full name)

\_\_\_\_\_  
(Position)

1. I am duly authorized to make this application.
2. I believe that all the information contained in this application is true and correct.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**FOR OFFICE USE ONLY**

**Application received and checked by**

Inspector/Clerk: \_\_\_\_\_

Date: \_\_\_\_\_

Application No.: \_\_\_\_\_

Trade Waste Classification:

Permitted       Controlled       Conditional

**PROPERTY FILE NUMBER**

\_\_\_\_\_

**DEBTOR NUMBER**

\_\_\_\_\_

**BUILDING CONSENT NUMBER**

\_\_\_\_\_

**TRADE WASTE CONSENT**

Approved by: \_\_\_\_\_

Consent No: \_\_\_\_\_ Date: \_\_\_\_\_

**APPLICATION FEE**

\$ \_\_\_\_\_

GST \$ \_\_\_\_\_

Total \_\_\_\_\_

Cashier Receipt: \_\_\_\_\_

File No: \_\_\_\_\_

# APPLICATION FOR TRADE WASTE DISCHARGE (*MOTOR VEHICLES*)

**Description of trade waste and premises**

**1 MOTOR VEHICLE INDUSTRY**

1.1 Trade name and street address  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

1.2 Name and address of owner/Consent Holder  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

1.3 Contact for enquiries (if different from above)  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

1.4 Number of operational days per year: \_\_\_\_\_

1.5 Total volume of wastes:  
 Average daily volume \_\_\_\_\_m<sup>3</sup>  
 Maximum volume in any 8 hr period \_\_\_\_\_m<sup>3</sup>  
 Maximum daily volume \_\_\_\_\_m<sup>3</sup>  
 Maximum flow \_\_\_\_\_L/sec  
 Seasonal fluctuation (range) \_\_\_\_\_ to \_\_\_\_\_

1.6 The source of water used on the premises is:  
 (a) from Waipa District Council  
 \_\_\_\_\_m<sup>3</sup> / working day  
 (b) from other sources (*state source*)  
 \_\_\_\_\_m<sup>3</sup> / working day

1.7 The wastes do / do not, contain condensing water or stormwater and the layout of drains on the premises is / is not, such as to reasonably exclude the possibility of such becoming mixed with trade wastes.

1.8 It is / is not proposed that domestic wastewater and trade waste should be discharged at the same point of discharge.

1.9 The proposed method for flow measurement is:

- permanent installation of suitable flow measuring equipment
- based on water usage as measured by meter
- other, (*specify*) \_\_\_\_\_

1.10 List any substances contained in Schedule 1A or 1B of the Bylaw which are stored, used, or generated on the premises.

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

1.11 Site plans of the premises are attached which clearly show the location of the following as appropriate:

- process areas
- pre-treatment devices including bunding
- flow measuring devices
- trade waste drains
- domestic wastewater drains
- stormwater drains
- unroofed areas draining to trade waste drains
- sampling point
- emergency spill containment devices
- hazardous goods storage
- other (*specify*) \_\_\_\_\_

# APPLICATION FOR TRADE WASTE DISCHARGE (MOTOR VEHICLES)

1.12 The trade waste pre-treatment devices used on the premises are:

- solids screens / filters
- sedimentation trap
- oil & grit interceptor
- bunding
- roofing
- stormwater diversion system
- other (*specify*) \_\_\_\_\_

1.13 Specifications, drawings and descriptions for the following are attached:

- solids screens / filters
- sedimentation trap
- oil & grit interceptor
- stormwater diversion system
- other (*specify*) \_\_\_\_\_

1.14 The capacity of the sedimentation trap is:

\_\_\_\_\_ Litres

1.15 The sedimentation trap is located:

\_\_\_\_\_

1.16 How often is the sedimentation trap cleaned?

\_\_\_\_\_

1.17 The capacity of the oil & grit interceptor is:

\_\_\_\_\_ Litres

1.18 The oil & grit interceptor is located:

\_\_\_\_\_

1.19 How often is the oil & grit interceptor cleaned?

\_\_\_\_\_

1.20 The liquid waste contractor used to clean the oil & grit interceptor is:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

1.21 Are other hazardous wastes collected onsite?

- Yes       No

1.22 The contractor(s) used to recycle / dispose of hazardous wastes is:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

1.23 How often does the contractor(s) collect hazardous wastes for recycling / disposal?

\_\_\_\_\_

1.24 An independent waste audit of the premises has / has not been carried out by:

\_\_\_\_\_

1.25 A Discharge Management Plan is / is not attached.

1.26 The health and Safety Requirements and security arrangements for Wastewater Authority staff entering the premises are as follows: (*specify*)

\_\_\_\_\_

\_\_\_\_\_

1.27 The following steps have been / will be taken to improve the trade processes as part of a strategy of cleaner production this includes pre-treatment processes. (e.g. how have you reduced your waste that you discharge?)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_