From:	info@waipadc.govt.nz
To:	Policy Shared
Subject:	External Sender: Waipā District Plan - Plan Change Submission Form 5 - Denise Hall
Date:	Wednesday, 24 August 2022 11:07:14 am

CYBER SECURITY WARNING: This email is fro attachments and links. Please follow the Cybe	m an external source - be careful of ersecurity Policy and report suspicious emails		
to Servicedesk			
Full name of submitter	Denise Hall		
Contact name (if different from above)			
Email address	denisemh63@xtra.co.nz		
Address for service	19A Sheridan Crescent, Leamington, Cambridge 3432		
Contact phone number	0064-021 864 225		
This is a submission on the following proposed plan change to the Waipā District Plan Residential development			
Could you gain an advantage in trade competition through this submission?	I could not		
Are you directly affected by an effect of the subject matter that - (a) adversely affects the environment; and (b) does not relate to trade competition or the effects of trade competition?	l am not		

Do you wish to be heard (attend and speak at the 1 do not Council hearing) in support of your submission? If others make a similar submission, will you No

consider presenting a joint case with them at the hearing?

Do you support the proposed change(s)? I support in part

The specific provisions of the plan change my submission relates to are (give details):

Having a 3 story property built on land beside me will affect my home with lack of sunlight

My submission is

To not allow 3 story properties built next to any property where homes have light or sunlight impact on any home. Not fair to any single story home.

I have no issue with progress, but it needs to be implemented in a way that works out for everyone, including those living in these new tenements

I seek the following decision/s from Council

Developments would be better of in a new subdivision, where new infrastructure, roads with parking, bus stops, green space and playgrounds can be implemented. Developers would be bearing some of the cost of this.

This would ease any strain on existing infrastructure, which would need to be upgraded at a further cost to ratepayers

Hopefully I've done this in the right place

Attachments